

Bain Marie



CE700-206



CE700-207



CE700-208



CE700-209

Model	CE700-206	CE700-207	CE700-208	CE700-209
Description	Bain Marie	Bain Marie	Bain Marie	Bain Marie
Volts	110~120V/60Hz 220~240V/50Hz	110~120V/60Hz 220~240V/50Hz	110~120V/60Hz 220~240V/50Hz	110~120V/60Hz 220~240V/50Hz
Power (W)	1200	1200	1200	1200
Control Type	Thermostatic	Thermostatic	Thermostatic	Thermostatic
Dimensions (mm)	600x400x300	600x400x300	600x400x300	600x400x300
N.W. (kg)	7	7	7	7
Certificate	CE	CE	CE	CE
Remark	1/2x2 Gastronorm	1/3x3 Gastronorm	1/4x2+1/2x1 Gastronorm	1/4x4 Gastronorm

Bain Marie



CE700-214



CE700-215

CE700-216(Deep)



CE700-217



CE700-218

Model	CE700-214	CE700-215	CE700-217	CE700-218
Description	Bain Marie	Bain Marie	Bain Marie	Bain Marie
Volts	110~120V/60Hz 220~240V/50Hz	110~120V/60Hz 220~240V/50Hz	110~120V/60Hz 220~240V/50Hz	110~120V/60Hz 220~240V/50Hz
Power (W)	1500	1500	1500	1500
Control Type	Thermostatic	Thermostatic	Thermostatic	Thermostatic
Dimensions (mm)	695x640x270	565x430x235	565x440x270	690x630x235
N.W. (kg)	17.5	9	9.5	14
Certificate	CE	CE	CE	CE
Remark	1/3x6 150x0.7 Gastronorm	1/2x2 100x0.7 Gastronorm	1/3x3 150x0.7 Gastronorm	1/2x4 100x0.7 Gastronorm

Bain Marie



KG-165



KG-165F



KG-205

Model	KG-165	KG-165F	KG-205
Description	Bain Marie	Bain Marie with Faucet	Bain Marie with Faucet
Volts	220~240V/50Hz	220~240V/50Hz	220~240V/50Hz
Power (W)	1200	1200	1200
Temperature Range	30-200°C	30-200°C	30-200°C
Control Type	Thermostatic	Thermostatic	Thermostatic
Dimensions (mm)	615x357x255	370x570x230	354x615x295
N.W. (kg)	10	10.5	12
Certificate	CE	CE	CE

Bain Marie



Model	BAM03-3GA1
Description	1/3 Gastronorm Bain Marie
Volts	220~240V/50Hz
Power (W)	1000
Temperature Range	30~85°C
Control Type	Thermostatic
Dimensions(mm)	365X215X270
N.W. (kg)	4.7
Certificate	CE