

Food Warmer



SD130-112



SD130-113



SD400-118

Model	SD130-112	SD130-113	SD400-118
Description	Pizza Warming Showcase	Warming Shelf Showcase	Food Warmer
Volts	220~240V/50Hz	220~240V/50Hz	220~240V/50Hz
Power (W)	850	850	800
Temperature Range	0~110°C	0~110°C	30~85°C
Control Type	Thermostatic	Thermostatic	Thermostatic
Dimensions (mm)	500x450x770	500x450x770	460x355x475
N.W. (kg)	26	38	15
Certificate	CE	CE	CE

Food Warmer



SD130-100

Model	SD130-100	SD130-103
Description	Food Warmer	Food Warmer
Volts	220~240V/50Hz	220~240V/50Hz
Power (W)	3800	3800
Temperature Range	0~110°C	0~110°C
Control Type	Thermostatic	Thermostatic
Dimensions (mm)	1500x760x860	1500x760x860
N.W. (kg)	112	92
Certificate	CE	CE
Remark	1/1 GN Pan x 5pcs	-

Food Warmer



SD130-104



SD130-105

Model	SD130-104	SD130-105
Description	Food Warmer	Food Warmer
Volts	220~240V/50Hz	220~240V/50Hz
Power (W)	700	1600
Temperature Range	0~110°C	0~110°C
Control Type	Thermostatic	Thermostatic
Dimensions (mm)	700x640x730	1100x640x730
N.W. (kg)	33	45
Certificate	CE	CE
Remark	1/1 GN Pan x 4pcs	1/1 GN Pan x 6pcs

Food Warmer



SD400-106



FW-310



SD130-110

Model	SD400-106	FW-310	SD130-110	SD130-111
Description	Food Warmer	Food Warmer	Food Warmer	Food Warmer
Volts	220~240V/50Hz	220~240V/50Hz	220~240V/50Hz	220~240V/50Hz
Power (W)	890	950	1000	1500
Temperature Range	50~85°C	—	0~110°C	0~110°C
Control Type	Thermostatic	—	Thermostatic	Thermostatic
Dimensions (mm)	660x460x600	330x560x500	640x360x530	865x360x625
N.W. (kg)	21	7	21	35
Certificate	—	CE	CE	CE

Food Warmer



Model	FW-P-660	FW-P-900	FW-P-1200
Description	Pie Warmer	Pie Warmer	Pie Warmer
Volts	220~240V/50Hz	220~240V/50Hz	220~240V/50Hz
Power (W)	1840	1840	2200
Temperature Range	50~85°C	50~85°C	50~85
Control Type	Thermostatic	Thermostatic	Thermostatic
Dimensions (mm)	660x437x635	900x480x590	1200x480x810
N.W. (kg)	37	50	72
Certificate	CE	CE	CE

Food Warmer



Model	SD130-104	SD130-105
Description	Food Warmer (With Light)	Food Warmer
Volts	220~240V/50Hz	220~240V/50Hz
Power (W)	300	300
Temperature Range	50~85°C	50~85°C
Control Type	Thermostatic	Thermostatic
Dimensions (mm)	500x400x300	500x400x300
N.W. (kg)	10.5	9.8
Certificate	-	-

Hot Displays



RF100-181



RF100-182

Model	RF100-181	RF100-182
Description	Hot Display	Hot Display
Material	Stainless Steel	Stainless Steel
Volts	220~240V/50Hz	220~240V/50Hz
Power (W)	700	1150
Capacity	66	100
Dimensions (mm)	562X435X517	625X467X650
N.W. (kg)	17.8	25.6
Certificate	CE	CE

Hot Displays



SD600-100



SD600-102




SD600-101

Standard Features:

- Adjustable temperature controller
- Non-adjustable chrome plated shelf
- Stainless steel
- CE


SD600-100

Capacity-Gross (L)	25
Temperature range (°C)	30-90
Rated Input Power (W)	800
N.W. (kg)	12.4
G.W. (kg)	14
Overall Dimension (mm)	554x376x311
Package Dimension (mm)	624x457x362
20"Container	276
40"Container	570
40"Container (high)	665




SD600-102

Capacity-Gross (L)	45
Temperature range (°C)	30-90
Rated Input Power (W)	800
N.W. (kg)	14.4
G.W. (kg)	16.5
Overall Dimension (mm)	554x376x376
Package Dimension (mm)	624x457x427
20"Container	230
40"Container	475
40"Container (high)	570



SD600-101

Capacity-Gross (L)	35
Temperature range (°C)	30-90
Rated Input Power (W)	800
N.W. (kg)	11.8
G.W. (kg)	13.5
Overall Dimension (mm)	554x361x311
Package Dimension (mm)	624x442x362
20"Container	288
40"Container	582
40"Container (high)	679



Hot Displays



SD600-103



SD600-104



SD600-105

Standard Features:


- Adjustable temperature controller
- Non-adjustable chrome plated shelf
- Stainless steel
- CE

Standard Features:

- Bright internal LED illumination on sides
- Adjustable temperature controller
- Non-adjustable chrome plated shelf
- Stainless steel
- CE


SD600-103

Capacity-Gross (L)	50
Temperature range (°C)	30-90
Rated Input Power (W)	800
N.W. (kg)	13.7
G.W. (kg)	15.4
Overall Dimension (mm)	554x361x376
Package Dimension (mm)	624x442x427
20"Container	240
40"Container	485
40"Container (high)	582




SD600-104

Capacity-Gross (L)	80
Temperature range (°C)	30-90
Rated Input Power (W)	1000
N.W. (kg)	16.4
G.W. (kg)	18.5
Overall Dimension (mm)	700x400x376
Package Dimension (mm)	768x482x422
20"Container	180
40"Container	360
40"Container (high)	432



SD600-105

Capacity-Gross (L)	115
Temperature range (°C)	30-90
Rated Input Power (W)	1250
N.W. (kg)	19.7
G.W. (kg)	22.2
Overall Dimension (mm)	700x400x500
Package Dimension (mm)	768x482x548
20"Container	144
40"Container	288
40"Container (high)	288



Hot Showcase



FWS01-530V

Model	FWS01-530V	FWS01-540V	FWS01-550V
Description	Hot Showcase	Hot Showcase	Hot Showcase
Volts	220~240V/50Hz	220~240V/50Hz	220~240V/50Hz
Power (W)	765	805	845
Capacity (L)	140	190	240
Shelves	2	2	2
Temperature Range	65°C	65°C	65°C
Control Type	Digital	Digital	Digital
Dimensions (mm)	900x540x790	1200x540x790	1500x540x790
N.W. (kg)	80	95	110
Certificate	CE	CE	CE

Hot Showcase



FWS01-S530A

Model	FWS01-S530A	FWS01-S540A	FWS01-S550A
Description	Hot Showcase	Hot Showcase	Hot Showcase
Volts	220~240V/50Hz	220~240V/50Hz	220~240V/50Hz
Power (W)	765	805	845
Capacity (L)	115	155	200
Shelves	2	2	2
Temperature Range	65°C	65°C	65°C
Control Type	Digital	Digital	Digital
Dimensions (mm)	900x540x790	1200x540x790	1500x540x790
N.W. (kg)	90	115	120
Certificate	CE	CE	CE

Hot Showcase



FWS01-530A

Model	FWS01-530A	FWS01-540A	FWS01-550A
Description	Hot Showcase	Hot Showcase	Hot Showcase
Volts	220~240V/50Hz	220~240V/50Hz	220~240V/50Hz
Power (W)	765	805	845
Capacity (L)	70	94	118
Shelves	2	2	2
Temperature Range	65°C	65°C	65°C
Control Type	Digital	Digital	Digital
Dimensions (mm)	900x530x820	1200x530x820	1500x530x820
N.W. (kg)	50	65	75
Certificate	CE	CE	CE

Hot Displays




FCD07-120A

Standard Features:

- Bright internal LED illumination on top
- Adjustable temperature controller
- Temperature display
- Adjustable chrome plated shelves
- Front curved glass
- Sliding doors
- CE



FCD07-160A



LED Lights



Adjustable Shelf




Temperature Controller



Temperature Display


FCD07-120A

Capacity-Gross (L)	120
Temperature Range (°C)	30-90
Rated Input Power (W)	1100
N.W. (kg)	48
G.W. (kg)	50
Overall Dimension (mm)	678x568x670
Package Dimension (mm)	749x627x731
20"Container	80
40"Container	164
40"Container (high)	164



FCD07-160A

Capacity-Gross (L)	160
Temperature Range (°C)	30-90
Rated Input Power (W)	1500
N.W. (kg)	56
G.W. (kg)	58
Overall Dimension (mm)	856x568x670
Package Dimension (mm)	928x627x731
20"Container	62
40"Container	124
40"Container (high)	124




Hot Displays



FWS05-130V1

Standard Features:

- Bright internal LED illumination on top
- Adjustable temperature controller
- Temperature display
- Adjustable chrome plated shelves
- Front curved glass
- Sliding doors
- CE



LED Lights



Adjustable Shelf



Temperature Controller




Temperature Display



FWS05-160V2


FWS05-130V1

Capacity-Gross (L)	130
Temperature Range (°C)	30-90
Rated Input Power (W)	1100
N.W. (kg)	47
G.W. (kg)	49
Overall Dimension (mm)	697x578x678
Package Dimension (mm)	749x627x731
20"Container	80
40"Container	164
40"Container (high)	164



FWS05-160V2

Capacity-Gross (L)	160
Temperature Range (°C)	30-90
Rated Input Power (W)	1500
N.W. (kg)	52
G.W. (kg)	54
Overall Dimension (mm)	875x578x678
Package Dimension (mm)	928x627x731
20"Container	62
40"Container	124
40"Container (high)	124



Hot Displays




FWS05-76V



FWS05-96V

Standard Features:

- Bright internal LED illumination on top
- Adjustable temperature controller
- Temperature display
- Adjustable chrome plated shelves
- Front and back sliding doors
- CE



LED Lights



Adjustable Shelf




Temperature Controller



Temperature Display


FWS05-76V

Capacity-Gross (L)	76
Temperature Range (°C)	30-90
Rated Input Power (W)	1200
N.W. (kg)	21.2
G.W. (kg)	23
Overall Dimension (mm)	345x484x662.5
Package Dimension (mm)	408x551x695
20"Container	177
40"Container	357
40"Container (high)	357



FWS05-96V

Capacity-Gross (L)	96
Temperature Range (°C)	30-90
Rated Input Power (W)	1500
N.W. (kg)	33.5
G.W. (kg)	36
Overall Dimension (mm)	674.5x484x662.5
Package Dimension (mm)	738x551x695
20"Container	93
40"Container	189
40"Container (high)	189



Hot Displays




FWS05-136V



FWS05-186V

Standard Features:

- Bright internal LED illumination on top
- Adjustable temperature controller
- Temperature display
- Adjustable chrome plated shelves
- Front and back sliding doors
- CE



LED Lights



Adjustable Shelf




Temperature Controller



Temperature Display


FWS05-136V

Capacity-Gross (L)	136
Temperature Range (°C)	30-90
Rated Input Power (W)	1500
N.W. (kg)	41.5
G.W. (kg)	43.5
Overall Dimension (mm)	915x485x662
Package Dimension (mm)	974x551x695
20"Container	72
40"Container	144
40"Container (high)	144



FWS05-186V

Capacity-Gross (L)	186
Temperature Range (°C)	30-90
Rated Input Power (W)	1800
N.W. (kg)	53.5
G.W. (kg)	56
Overall Dimension (mm)	1214.5x484x662.5
Package Dimension (mm)	1278x551x695
20"Container	51
40"Container	108
40"Container (high)	108



Hot Displays



FWS05-97V



FWS05-137V



FWS05-107V

Standard Features:

- Adjustable temperature controller
- Temperature display
- Adjustable chrome plated shelves
- Back doors
- Front top light box with decals
- CE



Adjustable Shelf



Temperature Display

FWS05-97V		FWS05-137V		FWS05-107V	
Capacity-Gross (L)	97	Capacity-Gross (L)	137	Capacity-Gross (L)	107
Temperature Range (°C)	30-60/30-90	Temperature Range (°C)	30-60/30-90	Temperature Range (°C)	30-60/30-90
Rated Input Power (W)	1100	Rated Input Power (W)	1000	Rated Input Power (W)	1000
N.W. (kg)	22	N.W. (kg)	27	N.W. (kg)	22.5
G.W. (kg)	24	G.W. (kg)	29	G.W. (kg)	24.5
Overall Dimension (mm)	460X448X785	Overall Dimension (mm)	645X487X785	Overall Dimension (mm)	645X487X657
Package Dimension (mm)	534X537X833	Package Dimension (mm)	719X537X833	Package Dimension (mm)	719X537X705
20"Container	80	20"Container	68	20"Container	102
40"Container	168	40"Container	138	40"Container	207
40"Container (high)	252	40"Container (high)	207	40"Container (high)	207

Hot Displays



FWS05-97V2



FWS05-108V



Temperature Display



Adjustable Shelf

Standard Features:


- Adjustable temperature controller
- Temperature display
- Rotational chrome plated shelves
- Front top light box with decals
- CE

Standard Features:

- Bright internal LED illumination on sides
- Adjustable temperature controller
- Temperature display
- Rotational chrome plated shelves
- Adjustable feet
- CE

FWS05-97V2

Capacity-Gross (L)	97
Temperature Range (°C)	30-60/30-90
Rated Input Power (W)	1100
N.W. (kg)	22
G.W. (kg)	24
Overall Dimension (mm)	460x448x785
Package Dimension (mm)	534x537x833
20"Container	80
40"Container	168
40"Container (high)	252



FWS05-108V

Capacity-Gross (L)	108
Temperature Range (°C)	30-90
Rated Input Power (W)	1200
N.W. (kg)	33
G.W. (kg)	35
Overall Dimension (mm)	470x470x870
Package Dimension (mm)	560x530x938
20"Container	88
40"Container	176
40"Container (high)	176

