

Induction Fryer



CE500-115



CE500-119

Model	CE500-115	CE500-119
Description	Induction Fryer	Induction Fryer
Control Type	Knob Control	Knob Control
Capacity (L)	8	8+8
Volts	220~240V/50~60Hz	220~240V/50~60Hz
Power (W)	3500	3500+3500
Temperature Range	60~190°C	60~190°C
Timer	-	-
Material	Stainless Steel	Stainless Steel
Dimensions (mm)	288x478x410	576x478x410
Certificate	CE	CE

Induction Fryer



CE500-112



CE500-120

Model	CE500-112	CE500-120
Description	Induction Fryer	Induction Fryer
Control Type	Touch Control	Touch Control
Capacity (L)	8	8+8
Volts	220~240V/50~60Hz	220~240V/50~60Hz
Power (W)	3500	3500+3500
Temperature Range	60~190°C	60~190°C
Timer	120Min	120Min
Material	Stainless Steel	Stainless Steel
Dimensions (mm)	288x478x410	576x478x410
Certificate	CE	CE

Induction Fryer



CE500-111



CE500-118

Model	CE500-111	CE500-118
Description	Induction Fryer	Induction Fryer
Control Type	Knob Control	Touch Control
Capacity (L)	8	8
Volts	220~240V/50~60Hz	220~240V/50~60Hz
Power (W)	3500	3500
Temperature Range	60~190°C	60~190°C
Timer	-	120Min
Material	Stainless Steel	Stainless Steel
Dimensions (mm)	288x478x410	288x478x410
Certificate	CE	CE

Induction Fryer



CE670-100




CE670-101

Model	CE670-100	CE670-101
Description	Induction Fryer	Induction Fryer
Control Type	Touch Control	Touch Control
Capacity (L)	8	8+8
Volts	220~240V/50~60Hz	220~240V/50~60Hz
Power (W)	3500	3500+3500
Temperature Range	30~190°C	30~190°C
Timer	30Min	30Min
Program Module	3 Temperature/Timer Mode Setting	3 Temperature/Timer Mode Setting
Material	Stainless Steel	Stainless Steel
Dimensions (mm)	290x490x418	518x490x418
Certificate	CE	CE

Induction Fryer



CE670-115



CE670-116

Model	CE670-115	CE670-116
Description	8L Lifting Induction Fryer Single Tank	8L Lifting Induction Fryer Double Tank
Control Type	Touch Control	Touch Control
Capacity (L)	8	8+8
Volts	220~240V/50~60Hz	220~240V/50~60Hz
Power (W)	3500	3500+3500
Temperature Range	30~190°C	30~190°C
Timer	30Min	30Min
Program Module	5 Temperature/Timer Mode Setting	5 Temperature/Timer Mode Setting
Material	Stainless Steel	Stainless Steel
Dimensions (mm)	300x560x418	600x560x418
Certificate	CE in Process	CE in Process

Induction Fryer



CE680-100



CE680-101

Model	CE680-100	CE680-101
Description	Induction Fryer	Induction Fryer
Control Type	Touch Control	Touch & Knob Control
Capacity (L)	15	15+15
Volts	220~240V/50~60Hz	220~240V/50~60Hz
Power (W)	3500	3500+3500
Temperature Range	60~200℃	60~200℃
Timer	180Min	180Min
Material	Stainless Steel	Stainless Steel
Dimensions (mm)	330x505x395	670x505x395
Certificate	CE	CE
Remark	Half-bridge Techonlogy Continuous Low Power Heating	