

Electric Deck Oven



Model	EK150-119	EK150-120	EK150-121
Description	Electric Deck Oven	Electric Deck Oven	Electric Deck Oven
Volts	220~240V/380V 50~60Hz	380V/50~60Hz	380V/50~60Hz
Power(W)	6600	8400	10800
Outer Material	S/S and Aluminized Plate	S/S and Aluminized Plate	S/S and Aluminized Plate
Inner Material	Aluminum Coated Plate	Aluminum Coated Plate	Aluminum Coated Plate
Temperature Range	Max.400°C	Max.400°C	Max.400°C
Timer	Digital 99min	Digital 99min	Digital 99min
Stone Plate	286x638mm x3pcs (Option)	260x638mm x5pcs (Option)	260x900mm x5pcs (Option)
Number of Decks	1 Deck 2 Trays	1 Deck 3 Trays	1 Deck 4 Trays
Tray Size	400x600mm	400x600mm	400x600mm
Dimensions(mm)	1330x810x550	1750x810x550	1750x1060x550
Tray Layout			
Certificate	CE	CE	CE

Gas Deck Oven



Model	EK150-122	EK150-123	EK150-124
Description	Gas Deck Oven	Gas Deck Oven	Gas Deck Oven
Volts	220~240V/50Hz	220~240V/50Hz	220~240V/50Hz
Power(W)	100	100	100
Outer Material	S/S and Aluminized Plate	S/S and Aluminized Plate	S/S and Aluminized Plate
Inner Material	Aluminum Coated Plate	Aluminum Coated Plate	Aluminum Coated Plate
Temperature Range	Max.400°C	Max.400°C	Max.400°C
Timer	Digital 99min	Digital 99min	Digital 99min
Stone Plate	286x638mm x3pcs (Option)	260x638mm x5pcs (Option)	260x900mm x5pcs (Option)
Number of Decks	1 Deck 2 Trays	1 Deck 3 Trays	1 Deck 4 Trays
Tray Size	400x600mm	400x600mm	400x600mm
Dimensions(mm)	1330x810x550	1750x810x550	1750x1060x550
Tray Layout			
Certificate	-	-	-

Electric/Gas Deck Oven



EK150-125
EK150-127



You can choose
black stainless steel



EK150-126 (with trolley)
EK150-128

Model	EK150-125	EK150-126	EK150-127	EK150-128
Description	Electric Deck Oven	Electric Deck Oven	Gas Deck Oven	Gas Deck Oven
Volts	380V/50~60Hz	380V/50~60Hz	220~240V/50~60Hz	220~240V/50~60Hz
Power(W)	13200	13200	200	200
Outer Material	S/S and Aluminized Plate	S/S and Aluminized Plate	S/S and Aluminized Plate	S/S and Aluminized Plate
Inner Material	Aluminum Coated Plate	Aluminum Coated Plate	Aluminum Coated Plate	Aluminum Coated Plate
Temperature Range	Max.400°C	Max.400°C	Max.400°C	Max.400°C
Timer	Digital 99min	Digital 99min	Digital 99min	Digital 99min
Stone Plate	286x638mm x6pcs (Option)	286x638mm x6pcs (Option)	286x638mm x6pcs (Option)	286x638mm x6pcs (Option)
Number of Decks	2 Deck 4 Trays	2 Deck 4 Trays	2 Deck 4 Trays	2 Deck 4 Trays
Tray Size	400x600mm	400x600mm	400x600mm	400x600mm
Dimensions(mm)	1330x810x1280	1330x810x1670	1330x810x1280	1330x810x1670
Tray Layout				
Certificate	CE	CE	-	-

Electric/Gas Deck Oven



EK150-129
EK150-130



You can choose
black stainless steel



EK150-131
EK150-132

Model	EK150-129	EK150-131	EK150-130	EK150-132
Description	Electric Deck Oven	Electric Deck Oven	Gas Deck Oven	Gas Deck Oven
Volts	380V/50~60Hz	380V/50~60Hz	220~240V/50~60Hz	220~240V/50~60Hz
Power(W)	19800	25200	300	300
Outer Material	S/S and Aluminized Plate	S/S and Aluminized Plate	S/S and Aluminized Plate	S/S and Aluminized Plate
Inner Material	Aluminum Coated Plate	Aluminum Coated Plate	Aluminum Coated Plate	Aluminum Coated Plate
Temperature Range	Max.400°C	Max.400°C	Max.400°C	Max.400°C
Timer	Digital 99min	Digital 99min	Digital 99min	Digital 99min
Stone Plate	286x638mm x9pcs (Option)	260x638mm x15pcs (Option)	286x638mm x9pcs (Option)	260x638mm x15pcs (Option)
Number of Decks	3 Deck 6 Trays	3 Deck 9 Trays	3 Deck 6 Trays	3 Deck 9 Trays
Tray Size	400x600mm	400x600mm	400x600mm	400x600mm
Dimensions(mm)	1330x810x1650	1330x810x1800	1330x810x1650	1330x810x1800
Tray Layout				
Certificate	CE	CE	-	-

Electric/Gas Deck Oven



EK150-133
EK150-134



EK150-135
EK150-136

Model	EK150-133	EK150-135	EK150-134	EK150-136
Description	Electric Deck Oven	Electric Deck Oven	Gas Deck Oven	Gas Deck Oven
Volts	380V/50~60Hz	380V/50~60Hz	220~240V/50~60Hz	220~240V/50~60Hz
Power(W)	32400	32400	300	300
Outer Material	S/S and Aluminized Plate	Black S/S and Aluminized Plate	S/S and Aluminized Plate	Black S/S and Aluminized Plate
Inner Material	Aluminum Coated Plate	Aluminum Coated Plate	Aluminum Coated Plate	Aluminum Coated Plate
Temperature Range	Max.400°C	Max.400°C	Max.400°C	Max.400°C
Timer	Digital 99min	Digital 99min	Digital 99min	Digital 99min
Stone Plate	286x638mm x15pcs (Option)	260x638mm x15pcs (Option)	286x638mm x15pcs (Option)	260x638mm x15pcs (Option)
Number of Decks	3 Deck 12 Trays	3 Deck 12 Trays	3 Deck 12 Trays	3 Deck 12 Trays
Tray Size	400x600mm	400x600mm	400x600mm	400x600mm
Dimensions(mm)	1330x1060x1650	1330x1060x1800	1330x1060x1650	1330x1060x1800
Tray Layout				
Certificate	CE	CE	-	-

Electric/Gas Deck Oven



EK150-211
EK150-212



EK150-213
EK150-214

Model	EK150-211	EK150-213	EK150-212	EK150-214
Description	Electric Deck Oven	Electric Deck Oven	Gas Deck Oven	Gas Deck Oven
Volts	380V/50~60Hz	380V/50~60Hz	220~240V/50~60Hz	220~240V/50~60Hz
Power(W)	8400	8400	200	200
Outer Material	S/S and Aluminized Plate	Black S/S and Aluminized Plate	S/S and Aluminized Plate	Black S/S and Aluminized Plate
Inner Material	Aluminum Coated Plate	Aluminum Coated Plate	Aluminum Coated Plate	Aluminum Coated Plate
Temperature Range	Max.300°C	Max.300°C	Max.300°C	Max.300°C
Timer	-	-	-	-
Stone Plate	2pcs	2pcs	2pcs	2pcs
Number of Decks	2 Deck 2 Trays	2 Deck 2 Trays	2 Deck 2 Trays	2 Deck 2 Trays
Tray Size	400x600mm	400x600mm	400x600mm	400x600mm
Dimensions(mm)	890x790x815	890x790x815	1000x830x845	1000x830x845
Tray Layout				
Certificate	CE	CE	-	-

Gas Deck Oven



Model	EK150-140	EK150-141	EK150-142
Description	Gas Deck Oven	Gas Deck Oven	Gas Deck Oven
Volts	220~240V/50Hz	220~240V/50Hz	220~240V/50Hz
Power(W)	200	200	200
Outer Material	S/S and Aluminized Plate	S/S and Aluminized Plate	S/S and Aluminized Plate
Inner Material	Aluminum Coated Plate	Aluminum Coated Plate	Aluminum Coated Plate
Temperature Range	Max.400°C	Max.400°C	Max.400°C
Timer	Digital 99min	Digital 99min	Digital 99min
Stone Plate	286x638mm x6pcs (Option)	260x638mm x10pcs (Option)	260x900mm x10pcs (Option)
Number of Decks	2 Deck 4 Trays	2 Deck 6 Trays	2 Deck 8 Trays
Tray Size	400x600mm	400x600mm	400x600mm
Dimensions(mm)	1330x840x1320	1750x840x1320	1750x1090x1320
Tray Layout			
Certificate	-	-	-

Gas Deck Oven



**EK150-143
EK150-144
EK150-147**



**EK150-145
EK150-146**

Model	EK150-143	EK150-144	EK150-147	EK150-145	EK150-146
Description	Gas Deck Oven	Gas Deck Oven	Gas Deck Oven	Gas Deck Oven	Gas Deck Oven
Volts	220~240V/50Hz	220~240V/50Hz	220~240V/50Hz	220~240V/50Hz	220~240V/50Hz
Power(W)	300	300	300	300	300
Outer Material	Black S/S and Aluminized Plate			S/S and Aluminized Plate	
Inner Material	Aluminum Coated Plate	Aluminum Coated Plate	Aluminum Coated Plate	Aluminum Coated Plate	Aluminum Coated Plate
Temperature Range	Max.400°C	Max.400°C	Max.400°C	Max.400°C	Max.400°C
Timer	Digital 99min	Digital 99min	Digital 99min	Digital 99min	Digital 99min
Stone Plate	286x638mm x9pcs (Option)	260x638mm x15pcs (Option)	260x900mm x15pcs (Option)	286x638mm x9pcs (Option)	260x638mm x15pcs (Option)
Number of Decks	3 Deck 6 Trays	3 Deck 9 Trays	3 Deck 12 Trays	3 Deck 6 Trays	3 Deck 9 Trays
Tray Size	400x600mm	400x600mm	400x600mm	400x600mm	400x600mm
Dimensions(mm)	1330x840x1650	1750x840x1650	1750x1090x1650	1330x840x1650	1750x840x1650
Tray Layout					
Certificate	-	-	-	-	-

Gas Deck Oven



**EK150-148
EK150-149
EK150-150**



**EK150-151
EK150-152
EK150-153**

Model	EK150-148	EK150-149	EK150-150	EK150-151	EK150-152	EK150-153
Description	Gas Deck Oven	Gas Deck Oven	Gas Deck Oven	Gas Deck Oven	Gas Deck Oven	Gas Deck Oven
Volts	220~240V/50Hz	220~240V/50Hz	220~240V/50Hz	220~240V/50Hz	220~240V/50Hz	220~240V/50Hz
Power(W)	100	100	100	100	100	100
Outer Material	S/S and Aluminized Plate			Black S/S and Aluminized Plate		
Inner Material	Aluminum Coated Plate	Aluminum Coated Plate	Aluminum Coated Plate	Aluminum Coated Plate	Aluminum Coated Plate	Aluminum Coated Plate
Temperature Range	Max.400°C	Max.400°C	Max.400°C	Max.400°C	Max.400°C	Max.400°C
Timer	Digital 99min	Digital 99min	Digital 99min	Digital 99min	Digital 99min	Digital 99min
Stone Plate	286x638mm x3pcs (Option)	260x638mm x5pcs (Option)	260x900mm x5pcs (Option)	286x638mm x3pcs (Option)	260x638mm x5pcs (Option)	260x638mm x5pcs (Option)
Number of Decks	1 Deck 2 Trays	1 Deck 3 Trays	1 Deck 4 Trays	1 Deck 2 Trays	1 Deck 3 Trays	1 Deck 4 Trays
Tray Size	400x600mm	400x600mm	400x600mm	400x600mm	400x600mm	400x600mm
Dimensions(mm)	1330x840x590	1750x840x590	1750x1090x590	1330x840x590	1750x840x590	1750x840x590
Tray Layout						
Certificate	-	-	-	-	-	-

Gas Deck Oven



**EK150-154
EK150-155
EK150-156**



**EK150-157
EK150-158
EK150-159**

Model	EK150-154	EK150-155	EK150-156	EK150-157	EK150-158	EK150-159
Description	Gas Deck Oven	Gas Deck Oven	Gas Deck Oven	Gas Deck Oven	Gas Deck Oven	Gas Deck Oven
Volts	220~240V/50Hz	220~240V/50Hz	220~240V/50Hz	220~240V/50Hz	220~240V/50Hz	220~240V/50Hz
Power(W)	200	200	200	200	200	100
Outer Material	S/S and Aluminized Plate			Black S/S and Aluminized Plate		
Inner Material	Aluminum Coated Plate	Aluminum Coated Plate	Aluminum Coated Plate	Aluminum Coated Plate	Aluminum Coated Plate	Aluminum Coated Plate
Temperature Range	Max.400°C	Max.400°C	Max.400°C	Max.400°C	Max.400°C	Max.400°C
Timer	Digital 99min	Digital 99min	Digital 99min	Digital 99min	Digital 99min	Digital 99min
Stone Plate	286x638mm x6pcs (Option)	260x638mm x10pcs (Option)	260x900mm x10pcs (Option)	286x638mm x6pcs (Option)	260x638mm x10pcs (Option)	260x638mm x10pcs (Option)
Number of Decks	2 Deck 4 Trays	2 Deck 6 Trays	2 Deck 8 Trays	2 Deck 4 Trays	2 Deck 6 Trays	2 Deck 8 Trays
Tray Size	400x600mm	400x600mm	400x600mm	400x600mm	400x600mm	400x600mm
Dimensions(mm)	1330x840x1320	1750x840x1320	1750x1090x1320	1330x840x1320	1750x840x1320	1750x840x1320
Tray Layout						
Certificate	-	-	-	-	-	-

Gas Deck Oven



EK150-107



EK150-163



EK150-164/EK150-165

Model	EK150-107	EK150-163	EK150-164	EK150-165
Description	Gas Deck Oven	Gas Deck Oven	Gas Deck Oven	Gas Deck Oven
Volts	220~240V/50~60Hz	220~240V/50~60Hz	220~240V/50~60Hz	220~240V/50~60Hz
Power(W)	100	100	100	100
Outer Material	S/S and Aluminized Plate	S/S and Aluminized Plate	S/S and Aluminized Plate	S/S and Aluminized Plate
Inner Material	Aluminum Coated Plate	Aluminum Coated Plate	Aluminum Coated Plate	Aluminum Coated Plate
Temperature Range	Max.400°C	Max.400°C	Max.400°C	Max.400°C
Timer	Digital 99min	Digital 99min	Digital 99min	Digital 99min
Stone Plate	430x638mm x1pc (Option)	286x638mm x3pcs (Option)	260x638mm x5pcs (Option)	260x900mm x5pcs (Option)
Number of Decks	1 Deck 1 Trays	1 Deck 2 Trays	1 Deck 3 Trays	2 Deck 4 Trays
Tray Size	400x600mm (Option)	400x600mm (Option)	400x600mm (Option)	400x600mm (Option)
Dimensions(mm)	980x570x500	1330x840x590	1750x840x590	1750x1090x590
Tray Layout				
Certificate	-	-	-	-

Gas Deck Oven

EK150-166



EK150-167



EK150-168




EK150-169



Model	EK150-166	EK150-167	EK150-168	EK150-169
Description	Gas Deck Oven	Gas Deck Oven	Gas Deck Oven	Gas Deck Oven
Volts	220~240V/50~60Hz	220~240V/50~60Hz	220~240V/50~60Hz	220~240V/50~60Hz
Power(W)	200	200	300	300
Outer Material	S/S and Aluminized Plate	S/S and Aluminized Plate	S/S and Aluminized Plate	S/S and Aluminized Plate
Inner Material	Aluminum Coated Plate	Aluminum Coated Plate	Aluminum Coated Plate	Aluminum Coated Plate
Temperature Range	Max.400°C	Max.400°C	Max.400°C	Max.400°C
Timer	Digital 99min	Digital 99min	Digital 99min	Digital 99min
Stone Plate	286x638mm x6pc (Option)	260x900mm x10pcs (Option)	286x638mm x9pcs (Option)	260x900mm x15pcs (Option)
Number of Decks	2 Deck 4 Trays	2 Deck 8 Trays	3 Deck 6 Trays	3 Deck 12 Trays
Tray Size	400x600mm (Option)	400x600mm (Option)	400x600mm (Option)	400x600mm (Option)
Dimensions(mm)	1330x840x1320	1750x1090x1320	1330x840x1650	1750x840x1650
Tray Layout				
Certificate	-	-	-	-

Gas Deck Oven



Model	EK150-170
Description	Gas Deck Oven
Volts	220~240V/50~60Hz
Power(W)	300
Outer Material	S/S and Aluminized Plate
Inner Material	Aluminum Coated Plate
Temperature Range	Max.400°C
Timer	Digital 99min
Stone Plate	260x900mm x15pc (Option)
Number of Decks	3 Deck 12 or 6 Trays
Tray Size	400x600 or 600x800mm (Option)
Dimensions(mm)	1750x1090x1650
Tray Layout	 or 
Certificate	—


Electric Deck Oven



EK150-174
EK150-175
EK150-176



EK150-177
EK150-178
EK150-179

Model	EK150-174	EK150-175	EK150-176	EK150-177	EK150-178	EK150-179
Description	Electric Deck Oven	Electric Deck Oven	Electric Deck Oven	Electric Deck Oven	Electric Deck Oven	Electric Deck Oven
Volts	220~240V/50~60Hz	380V/50~60Hz	380V/50~60Hz	220~240V/50~60Hz	380V/50~60Hz	380V/50~60Hz
Power(W)	6600	8400	10800	6600	8400	10800
Outer Material	S/S and Aluminized Plate			Black S/S and Aluminized Plate		
Inner Material	Aluminum Coated Plate	Aluminum Coated Plate	Aluminum Coated Plate	Aluminum Coated Plate	Aluminum Coated Plate	Aluminum Coated Plate
Temperature Range	Max.400°C	Max.400°C	Max.400°C	Max.400°C	Max.400°C	Max.400°C
Timer	Digital 99min	Digital 99min	Digital 99min	Digital 99min	Digital 99min	Digital 99min
Stone Plate	286x638mm x3pcs (Option)	260x638mm x5pcs (Option)	260x900mm x5pcs (Option)	286x638mm x3pcs (Option)	260x638mm x5pcs (Option)	260x900mm x5pcs (Option)
Number of Decks	1 Deck 2 Trays	1 Deck 3 Trays	1 Deck 4 Trays	1 Deck 2 Trays	1 Deck 3 Trays	1 Deck 4 Trays
Tray Size	400x600mm (Option)	400x600mm (Option)	400x600mm (Option)	400x600mm (Option)	400x600mm (Option)	400x600mm (Option)
Dimensions(mm)	1230x830x550	1650x830x550	1650x1060x550	1230x830x550	1650x830x550	1650x1060x550
Tray Layout						
Certificate	CE	CE	CE	CE	CE	CE

Electric Deck Oven



**EK150-180
EK150-181
EK150-182**



**EK150-183
EK150-184
EK150-185**

Model	EK150-180	EK150-181	EK150-182	EK150-183	EK150-184	EK150-185
Description	Electric Deck Oven	Electric Deck Oven	Electric Deck Oven	Electric Deck Oven	Electric Deck Oven	Electric Deck Oven
Volts	380V/50~60Hz	380V/50~60Hz	380V/50~60Hz	380V/50~60Hz	380V/50~60Hz	380V/50~60Hz
Power(W)	13200	16800	21600	13200	16800	21600
Outer Material	S/S and Aluminized Plate			Black S/S and Aluminized Plate		
Inner Material	Aluminum Coated Plate	Aluminum Coated Plate	Aluminum Coated Plate	Aluminum Coated Plate	Aluminum Coated Plate	Aluminum Coated Plate
Temperature Range	Max.400°C	Max.400°C	Max.400°C	Max.400°C	Max.400°C	Max.400°C
Timer	Digital 99min	Digital 99min	Digital 99min	Digital 99min	Digital 99min	Digital 99min
Stone Plate	286x638mm x3pcs (Option)	260x638mm x5pcs (Option)	260x900mm x5pcs (Option)	286x638mm x3pcs (Option)	260x638mm x5pcs (Option)	260x900mm x5pcs (Option)
Number of Decks	2 Deck 4 Trays	2 Deck 6 Trays	2 Deck 8 Trays	2 Deck 4 Trays	2 Deck 6 Trays	2 Deck 8 Trays
Tray Size	400x600mm (Option)	400x600mm (Option)	400x600mm (Option)	400x600mm (Option)	400x600mm (Option)	400x600mm (Option)
Dimensions(mm)	1230x830x1250	1650x830x1250	1650x1060x1250	1230x830x1250	1650x830x1250	1650x1060x1250
Tray Layout						
Certificate	CE	CE	CE	CE	CE	CE

Electric Deck Oven



EK150-186



EK150-187/EK150-188

Model	EK150-186	EK150-187	EK150-188
Description	Electric Deck Oven	Electric Deck Oven	Electric Deck Oven
Volts	380V/50~60Hz	380V/50~60Hz	380V/50~60Hz
Power(W)	19800	25200	32400
Outer Material	S/S and Aluminized Plate	S/S and Aluminized Plate	S/S and Aluminized Plate
Inner Material	Aluminum Coated Plate	Aluminum Coated Plate	Aluminum Coated Plate
Temperature Range	Max.400°C	Max.400°C	Max.400°C
Timer	-	-	-
Stone Plate	286x638mm x9pcs (Option)	260x638mm x15pcs (Option)	260x900mm x15pcs (Option)
Number of Decks	3 Deck 6 Trays	3 Deck 9 Trays	3 Deck 12 Trays
Tray Size	400x600mm (Option)	400x600mm (Option)	400x600mm (Option)
Dimensions(mm)	1230x830x1520	1650x830x1520	1650x1060x1520
Tray Layout			
Certificate	CE	CE	CE

Electric Deck Oven

EK150-108



EK150-189



EK150-109



EK150-190



Model	EK150-108	EK150-109	EK150-189	EK150-190
Description	Electric Deck Oven	Electric Deck Oven	Electric Deck Oven	Electric Deck Oven
Volts	220~240V/380V 50/60Hz	380V 50/60Hz	220~240V/380V 50/60Hz	380V 50/60Hz
Power(W)	6600	13200	8400	21600
Outer Material	S/S and Aluminized Plate	S/S and Aluminized Plate	S/S and Aluminized Plate	S/S and Aluminized Plate
Inner Material	Aluminum Coated Plate	Aluminum Coated Plate	Aluminum Coated Plate	Aluminum Coated Plate
Temperature Range	Max.400°C	Max.400°C	Max.400°C	Max.400°C
Timer	—	—	—	—
Stone Plate	286x638mm x3pcs (Option)	286x638mm x6pcs (Option)	260x638mm x5pcs (Option)	260x900mm x5pcs (Option)
Number of Decks	1 Deck 2 Trays	2 Deck 4 Trays	1 Deck 3 Trays	2 Deck 4 Trays
Tray Size	400x600mm	400x600mm	400x600mm	400x600mm
Dimensions(mm)	1230x830x550	1230x830x1250	1650x830x550	1650x1060x550
Tray Layout				
Certificate	CE	CE	CE	CE

Electric Deck Oven

EK150-110



EK150-191



EK150-192



EK150-193



Model	EK150-110	EK150-191	EK150-192	EK150-193
Description	Electric Deck Oven	Electric Deck Oven	Electric Deck Oven	Electric Deck Oven
Volts	380V 50/60Hz	380V 50/60Hz	380V 50/60Hz	380V 50/60Hz
Power(W)	19800	16800	25200	32400
Outer Material	S/S and Aluminized Plate	S/S and Aluminized Plate	S/S and Aluminized Plate	S/S and Aluminized Plate
Inner Material	Aluminum Coated Plate	Aluminum Coated Plate	Aluminum Coated Plate	Aluminum Coated Plate
Temperature Range	Max.400°C	Max.400°C	Max.400°C	Max.400°C
Timer	—	—	—	—
Stone Plate	286x638mm x3pcs (Option)	260x638mm x10pcs (Option)	260x638mm x15pcs (Option)	260x900mm x15pcs (Option)
Number of Decks	3 Deck 6 Trays	2 Deck 6 Trays	3 Deck 9 Trays	3 Deck 12 Trays
Tray Size	400x600mm	400x600mm	400x600mm	400x600mm
Dimensions(mm)	1230x830x1520	1650x830x1250	1650x830x1520	1650x1060x1520
Tray Layout				
Certificate	CE	CE	CE	CE

Electric Deck Oven



EK160-104+ST110-383
EK160-105+ST110-383



ST110-383

Model	EK160-104	EK160-105	ST110-383
Description	Electric Deck Oven	Electric Deck Oven	Shelf
Volts	220~240V/50~60Hz	220~240V/50~60Hz	-
Power(W)	3200	3200	-
Outer Material	S/S And A3 Plate	S/S And A3 Plate	-
Inner Material	Aluminum Coated Plate	Aluminum Coated Plate	-
Temperature Range	20~300°C	20~300°C	-
Timer	Digital 99min	Digital 99min	-
Stone Plate	-	V	-
Number of Decks	1 Deck 1 Trays	1 Deck 1 Trays	-
Tray Size	400x600mm	400x600mm	-
Dimensions(mm)	880x610x450	880x610x450	880x600x685
Tray Layout			-
Certificate	CE	CE	-