


Spiral Mixer/Double Arm



Model	MX200-275
Description	Spiral Mixer
Control Type	Digital
Volts	220~240V/50Hz
Power (W)	750W+45W
Capacity	16L
Speed	5 Speed
Hook Speed (RPM)	210/135
Bowl Speed (RPM)	23/15
Max.Flour(kg)	20
Timer	30Min
	Plastic Safety Guard
Dimensions (mm)	397x567x546
N.W. (kg)	50
Certificate	

Standard Attachment:

Bowl


Hook



Spiral Mixer



- . Intelligent High Speed Frequency Converter
- . Inverted Duty Motor
- . Transmission: Belt Driven(10L)
- . 99Min Digital Timer
- . Two Speeds for Higher Efficiency
- . 4 Programmable Or 10 Programmable Speeds(10L)
- . Micro Switch for Safety Guard
- . Overload Protection

Model	MX200-244A	MX200-244-1A
Description	Spiral Mixer	Spiral Mixer
Control Type	Digital	Digital
Volts	220~240V/50~60Hz	220~240V/50~60Hz
Power (W)	750	750
Capacity	10L	10L
Speed	4 Speeds	10 Speeds
Hook Speed (RPM)	109-350	109-243
Bowl Speed (RPM)	11-24	11-24
Max.Flour(kg)	3.5	3.5
Timer	99Min	99Min
Forward And Reverse	-	-
	S/S Safety Guard	S/S Safety Guard
Dimensions (mm)	550x315x435	550x315x435
N.W. (kg)	29	29
Certificate	CE	CE

Standard Attachment:

Bowl


Hook



Spiral Mixer



- . Intelligent High Speed Frequency Converter
- . Inverted Duty Motor
- . Chain Wheel+Belt Driven(23L/34L/45L)
- . 99Min Digital Timer
- . Two Speeds for Higher Efficiency
- . 10 Programmable Speeds(23L/34L/45L)
- . Micro Switch for Safety Guard
- . Overload Protection

Model	MX200-237A	MX200-238A	MX200-239A
Description	Spiral Mixer	Spiral Mixer	Spiral Mixer
Control Type	Digital	Digital	Digital
Volts	220~240V/50~60Hz	220~240V/50~60Hz	220~240V/50~60Hz
Power (W)	1300	1800	2600
Capacity	23L	34L	45L
Speed	10 Speeds	10 Speeds	10 Speeds
Hook Speed (RPM)	130/160/190/210/240/270/300/320/330/350		
Bowl Speed (RPM)	13/16/19/21/24/27/30/32/33/35		
Max.Flour(kg)	8	12.5	20
Timer	99Min	99Min	99Min
Forward And Reverse	-	-	-
	S/S Safety Guard	S/S Safety Guard	S/S Safety Guard
Dimensions (mm)	500x730x770	520x850x860	520x850x960
N.W. (kg)	90	120	130
Certificate	CE	CE	CE

Standard Attachment:

Bowl

Hook




Kneading Spiral Mixer/Lifting Head

MX200-300



MX200-301



Model	MX200-300	MX200-301
Description	Spiral Mixer	Spiral Mixer
Control Type	Digital	Digital
Volts	220~240V/50Hz	220~240V/50Hz
Power (W)	750W	750W
Capacity	10L	10L
Speed	Single Speed	Single Speed
Hook Speed (RPM)	108~272	108~272
Bowl Speed (RPM)	11~27	11~27
Max.Dough(kg)	0.25~3.5	0.25~3.5
Timer	V	V
Dough Temperature Detection	-	V
	S/S Safety Guard	S/S Safety Guard
Dimensions (mm)	588x324x435	588x324x435
N.W. (kg)	39	39

Standard Attachment:

Bowl




Hook



Spiral Mixer

MX200-107



Model	MX200-104	MX200-107	MX200-111	MX200-115
Description	Spiral Mixer	Spiral Mixer	Spiral Mixer	Spiral Mixer
Control Type	Mechanical	Mechanical	Mechanical	Mechanical
Volts	380~415V/50Hz	380~415V/50Hz	380~415V/50Hz	380~415V/50Hz
Power (W)	1300/1700	1300/1700	1200/1800	2800/3600
Capacity	23L	34L	45L	66L
Speed	Two Speed	Two Speed	Two Speed	Two Speed
Hook Speed (RPM)	210/135	210/135	210/135	210/135
Bowl Speed (RPM)	23/15	23/15	23/15	23/15
Max.Flour(kg)	8	12.5	20	25
Timer	-	30Min	30Min	30Min
Forward And Reverse	-	-	-	-
	S/S Safety Guard	S/S Safety Guard	S/S Safety Guard	S/S Safety Guard
Dimensions (mm)	720x420x710	850x480x870	900x500x1130	1030x580x1180
N.W. (kg)	87	129	142	156
Certificate	-	-	-	-

Standard Attachment:

Bowl


Hook



Spiral Mixer

MX200-105



Model	MX200-103	MX200-105	MX200-148	MX200-150
Description	Spiral Mixer	Spiral Mixer	Spiral Mixer	Spiral Mixer
Control Type	Mechanical	Mechanical	Mechanical	Mechanical
Volts	220~240V/50Hz	220~240V/50Hz	220~240V/50Hz	220~240V/50Hz
Power (W)	900	1300	2100	2100
Capacity	23L	34L	45L	66L
Speed	Single Speed	Single Speed	Single Speed	Single Speed
Hook Speed (RPM)	165	165	210	210
Bowl Speed (RPM)	18	19	23	23
Max.Flour(kg)	8	12.5	20	25
Timer	-	30Min	30Min	30Min
Forward And Reverse	-	-	-	-
	S/S Safety Guard	S/S Safety Guard	S/S Safety Guard	S/S Safety Guard
Dimensions (mm)	730x420x680	840x490x830	870x490x960	960x570x960
N.W. (kg)	78	108	178	188
Certificate	CE	CE	CE	CE

Standard Attachment:

Bowl


Hook



Spiral Mixer

MX200-218



Model	MX200-216	MX200-218	MX200-220	MX200-219
Description	Spiral Mixer	Spiral Mixer	Spiral Mixer	Spiral Mixer
Control Type	Mechanical	Mechanical	Mechanical	Mechanical
Volts	220~240V/50Hz	220~240V/50Hz	220~240V/50Hz	220~240V/50Hz
Power (W)	750	1300	2100	2300
Capacity	23L	34L	45L	66L
Speed	Single Speed	Single Speed	Single Speed	Single Speed
Hook Speed (RPM)	125	125	145	145
Bowl Speed (RPM)	11	11	15	15
Max.Flour(kg)	8	12.5	20	25
Timer	-	-	-	-
Forward And Reverse	-	-	-	-
	S/S Safety Guard	S/S Safety Guard	S/S Safety Guard	S/S Safety Guard
Dimensions (mm)	750x420x720	890x480x840	-	-
N.W. (kg)	78	108	178	188
Certificate	CE	CE	CE	CE

Standard Attachment:

Bowl


Hook



Spiral Mixer

HS30B



Model	HS30B	HS40B
Description	Spiral Mixer	Spiral Mixer
Control Type	Mechanical	Mechanical
Volts	110~240V/50~60Hz	110~240V/50~60Hz
Power (W)	2100	2800
Capacity	28L	45L
Speed	Single Speed	Single Speed
Hook Speed (RPM)	230	-
Bowl Speed (RPM)	20	-
Max.Flour(kg)	12.5	20
Timer	30Min	30Min
Forward And Reverse	-	-
	S/S Safety Guard	S/S Safety Guard
Dimensions (mm)	850x430x940	900x500x1180
N.W. (kg)	180	270
Certificate	CE	CE

Standard Attachment:

Bowl


Hook



Spiral Mixer

HS30BS



Model	HS30BS	HS40BS	HS50BS
Description	Spiral Mixer	Spiral Mixer	Spiral Mixer
Control Type	Mechanical	Mechanical	Mechanical
Volts	110~240V/50~60Hz	110~240V/50~60Hz	110~240V/50~60Hz
Power (W)	2100	2800	2800
Capacity	28L	45L	66L
Speed	Two Speed	Two Speed	Two Speed
Hook Speed (RPM)	200/139	200/139	200/139
Bowl Speed (RPM)	18/13	18/13	18/13
Max.Flour(kg)	12.5	20	25
Timer	30Min	30Min	30Min
Forward And Reverse	-	-	-
	S/S Safety Guard	S/S Safety Guard	S/S Safety Guard
Dimensions (mm)	850x430x1100	900x500x1180	1020x590x1220
N.W. (kg)	195	270	280
Certificate	CE	CE	CE

Standard Attachment:

Bowl


Hook



Spiral Mixer

HS40S



Model	HS30S	HS40S	HS50S
Description	Spiral Mixer	Spiral Mixer	Spiral Mixer
Control Type	Mechanical	Mechanical	Mechanical
Volts	380~415V/50Hz	380~415V/50Hz	380~415V/50Hz
Power (W)	1700	1800	3600
Capacity	28L	45L	66L
Speed	Two Speed	Two Speed	Two Speed
Hook Speed (RPM)	230/150	240/120	240/120
Bowl Speed (RPM)	23/15	24/12	24/12
Max.Flour(kg)	12.5	20	25
Timer	30Min	30Min	30Min
Forward And Reverse	-	-	-
	S/S Safety Guard	S/S Safety Guard	S/S Safety Guard
Dimensions (mm)	850x430x940	900x500x1180	1030x580x1230
N.W. (kg)	167	256	275
Certificate	CE	CE	CE

Standard Attachment:

Bowl

Hook



Spiral Mixer

HS140S



HS140D



Model	HS140S	HS140D
Description	Spiral Mixer	Spiral Mixer
Control Type	Mechanical	Digital
Volts	380~415V/50Hz	380~415V/50Hz
Power (W)	2800/5600	2800/5600
Capacity	140L	140L
Speed	Two Speed	Two Speed
Hook Speed (RPM)	220/110	220/110
Bowl Speed (RPM)	22	22
Max.Flour(kg)	50	50
Timer	30Min	30Min
Forward And Reverse	V	V
	S/S Safety Guard	S/S Safety Guard
Dimensions (mm)	1220x7350x1370	1220x7350x1370
N.W. (kg)	640	640
Certificate		

Standard Attachment:

Bowl




Hook



Spiral Mixer

HS30D



Model	HS30D	HS40D	HS50D
Description	Spiral Mixer	Spiral Mixer	Spiral Mixer
Control Type	Digital	Digital	Digital
Volts	380~415V/50Hz	380~415V/50Hz	380~415V/50Hz
Power (W)	1700	1800	3600
Capacity	28L	45L	66L
Speed	Two Speed	Two Speed	Two Speed
Hook Speed (RPM)	230/150	240/120	240/120
Bowl Speed (RPM)	23/15	24/12	24/12
Max.Flour(kg)	12.5	20	25
Timer	30Min	30Min	30Min
Forward And Reverse	-	-	-
	S/S Safety Guard	S/S Safety Guard	S/S Safety Guard
Dimensions (mm)	850x430x940	900x500x1180	1030x580x1230
N.W. (kg)	167	256	275
Certificate	CE	CE	CE

Standard Attachment:

Bowl


Hook



Spiral Mixer

HG50S



Model	HG30S	HG40S	HG50S
Description	Spiral Mixer	Spiral Mixer	Spiral Mixer
Control Type	Mechanical	Mechanical	Mechanical
Volts	380~415V/50Hz	380~415V/50Hz	380~415V/50Hz
Power (W)	1300/1700	1200/1800	2800/3600
Capacity	28L	45L	66L
Speed	Two Speed	Two Speed	Two Speed
Hook Speed (RPM)	150/230	150/220	150/220
Bowl Speed (RPM)	15/23	15/22	15/22
Max.Flour(kg)	12.5	20	25
Timer	30Min	30Min	30Min
Forward And Reverse	V	V	V
	S/S Safety Guard	S/S Safety Guard	S/S Safety Guard
Dimensions (mm)	760x420x870	920x540x990	1000x600x1050
N.W. (kg)	104	198	209
Certificate	CE	CE	CE

Standard Attachment:

Bowl


Hook



Spiral Mixer

HG50D



Model	HG30D	HG40D	HG50D
Description	Spiral Mixer	Spiral Mixer	Spiral Mixer
Control Type	Digital	Digital	Digital
Volts	380~415V/50Hz	380~415V/50Hz	380~415V/50Hz
Power (W)	1300/1700	1200/1800	2800/3600
Capacity	28L	45L	66L
Speed	Two Speed	Two Speed	Two Speed
Hook Speed (RPM)	150/230	150/220	150/220
Bowl Speed (RPM)	15/23	15/22	15/22
Max.Flour(kg)	12.5	20	25
Timer	30Min	30Min	30Min
Forward And Reverse	V	V	V
	S/S Safety Guard	S/S Safety Guard	S/S Safety Guard
Dimensions (mm)	760x420x870	920x540x990	1000x600x1050
N.W. (kg)	104	198	209
Certificate	CE	CE	CE

Standard Attachment:

Bowl


Hook



Spiral Mixer

***SMX-17020K**



Model	*SMX-17010K	*SMX-17015K	*SMX-17020K	*SMX-17025K
Description	Spiral Mixer	Spiral Mixer	Spiral Mixer	Spiral Mixer
Control Type	Mechanical	Mechanical	Mechanical	Mechanical
Volts	220~240V/50Hz	220~240V/50Hz	220~240V/50Hz	220~240V/50Hz
Power (W)	Bowl:1/3HP Hook:1.5HP	Bowl:1/2HP Hook:2HP	Bowl:1/2HP Hook:2.5HP	Bowl:1HP Hook:3HP
Capacity	40L	50L	70L	80L
Speed	Two Speed	Two Speed	Two Speed	Two Speed
Hook Speed (RPM)	118/237	118/237	118/237	118/237
Bowl Speed (RPM)	-	-	-	-
Max.Flour(kg)	12	18	24	30
Timer	V	V	V	V
Forward And Reverse	V	V	V	V
	S/S Safety Guard	S/S Safety Guard	S/S Safety Guard	S/S Safety Guard
Dimensions (mm)	501x833x966	540x950x990	540x950x1050	590x950x1050
N.W. (kg)	150	185	205	300
Certificate	-	-	-	-

Standard Attachment:

Bowl

Hook



Products marked with * are made in Taiwan.


Spiral Mixer

***SMX-17045K**



***SMX-17075K**



Model	*SMX-17045K	*SMX-17066K	*SMX-17075K	*SMX-17100K
Description	Spiral Mixer	Spiral Mixer	Spiral Mixer	Spiral Mixer
Control Type	Mechanical	Mechanical	Mechanical	Mechanical
Volts	220~240V/50Hz	220~240V/50Hz	220~240V/50Hz	220~240V/50Hz
Power (W)	Bowl:2HP Hook:5HP	Bowl:3HP Hook:7.5HP	Bowl:3HP Hook:8.5HP	Bowl:4HP Hook:12HP
Capacity	120L	180L	180L	210L
Speed	Two Speed	Two Speed	Two Speed	Two Speed
Hook Speed (RPM)	101/203	101/203	90/180	90/180
Bowl Speed (RPM)	-	-	-	-
Max.Flour(kg)	50	66	75	100
Timer	V	V	V	V
Forward And Reverse	V	V	V	V
	S/S Safety Guard	S/S Safety Guard	S/S Safety Guard	S/S Safety Guard
Dimensions (mm)	710x1140x1250	805x1204x1270	900x1500x1460	950x1550x1460
N.W. (kg)	520	550	880	930
Certificate	-	-	-	-

Standard Attachment:

Bowl

Hook




Products marked with * are made in Taiwan.

Spiral Mixer

***SMX-17125KS**



Model	*SMX-17125KS
Description	Spiral Mixer
Control Type	Mechanical
Volts	220~240V/50Hz
Power (W)	Bowl:5HP Hook:15HP
Capacity	240L
Speed	Two Speed
Hook Speed (RPM)	90/180
Bowl Speed (RPM)	-
Max.Flour(kg)	125
Timer	V
Forward And Reverse	V
	S/S Safety Guard
Dimensions (mm)	850x2191x1454
N.W. (kg)	1150
Certificate	-

Standard Attachment:

Bowl

Hook



Products marked with * are made in Taiwan.

Spiral Mixer



MX500-100



MX500-101

Model	MX500-100	MX500-101
Description	Spiral Mixer	Spiral Mixer
Capacity	7L	10L
Volts	220~240V/50~60Hz	220~240V/50~60Hz
Power (W)	300	600
Material (Bowl)	S/S #304	S/S #304
Material (Bowl Cover)	ABS plastic	PC plastic
Dimensions (mm)	446×298×326	500×350×420
Certificate	CE	-

Standard Attachment:

Bowl



Hook

