

# Vacuum Packaging Machine



**FP110-100**



**FP110-101**



**FP110-102**

Model	FP110-100	FP110-101	FP110-102
Description	Vacuum Packing Machine	Vacuum Packing Machine	Vacuum Packing Machine
Volts	220~240V/50Hz	220~240V/50Hz	220~240V/50Hz
Power(W)	370	750	750
Pump Capacity (m <sup>3</sup> /h)	10	20	20
Sealing Time Range	0~3.5 Sec	0~3.5 Sec	0~3.5 Sec
Max Seal Thickness	0.15mm	0.15mm	0.15mm
Chamber Size (mm)	385x280x100(50)	450x370x120(70)	440x310x125(75)
Sealing Length (mm)	260	350	420
Seal Width (mm)	8	8	8
Dimensions (mm)	480x330x320	560x425x420	610x530x1100
Certificate	CE	CE	CE

# Vacuum Packaging Machine



**FP600-104**



**FP600-121**



**FP600-100**



**FP600-126**

Model	FP600-104	FP600-121	FP600-100	FP600-126
Description	Vacuum Packaging Machine	Vacuum Packaging Machine	Vacuum Packaging Machine	Vacuum Packaging Machine
Volts	220~240V/50Hz	220~240V/50Hz	220~240V/50Hz	220~240V/50Hz
Power(W)	280	370	370	370
Pump Capacity (m <sup>3</sup> /h)	4	8	10	10
Sealing Time Range	10~20 Sec	10~20 Sec	10~20 Sec	10~20 Sec
Max Seal Thickness	0.1~0.5mm	0.1~0.5mm	0.1~0.5mm	0.1~0.5mm
Chamber Size (mm)	330x295x75	380x305x75	380x345x75	440x355x175
Sealing Length (mm)	250	260	300	310
Seal Width (mm)	8	8	8	8
Dimensions (mm)	340x340x360	480x360x400	480x400x440	560x410x510
Certificate	CE	CE	CE	CE

# Vacuum Packaging Machine



**FP600-125**

**FP600-101**

**FP600-127**

**FP600-128**

Model	FP600-125	FP600-101	FP600-127	FP600-128
Description	Vacuum Packaging Machine	Vacuum Packaging Machine	Vacuum Packaging Machine	Vacuum Packaging Machine
Volts	220~240V/50Hz	220~240V/50Hz	220~240V/50Hz	220~240V/50Hz
Power(W)	370	900	750	750
Pump Capacity (m <sup>3</sup> /h)	10	20	20	20
Sealing Time Range	10~25 Sec	10~25 Sec	10~25Sec	10~25Sec
Max Seal Thickness	0.1~0.5mm	0.1~0.5mm	0.1~0.5mm	0.1~0.5mm
Chamber Size (mm)	380x395x75	445x440x75	445x440x75	445x440x215
Sealing Length (mm)	350	400	400	400
Seal Width (mm)	8	10	10	10
Dimensions (mm)	510x460x410	570x510x490	570x510x490	570x510x490
Certificate	CE	CE	CE	CE

# Vacuum Packaging Machine



**FP600-129**



**FP600-102**



**FP600-103**

Model	FP600-129	FP600-102	FP600-103
Description	Vacuum Packaging Machine	Vacuum Packaging Machine	Vacuum Packaging Mac hine
Volts	220~240V/50Hz	220~240V/50Hz	220~240V/50Hz
Power(W)	750	750	850
Pump Capacity (m <sup>3</sup> /h)	20	20	20
Sealing Time Range	15~30 Sec	10~25 Sec	15~30 Sec
Max Seal Thickness	0.1~0.5mm	0.1~0.5mm	0.1~0.5mm
Chamber Size (mm)	550x525x75	440x420x75	520x520x75
Sealing Length (mm)	500	400	500
Seal Width (mm)	10	10	10
Shipping Dimensions (mm)	770x680x790	105x640x600	1100x650x700
Certificate	CE	CE	CE