

Coffee Percolator



CP-05L







CP-10L

CP-15L

Model	CP-05L	CP-10L	CP-15L
Description	Coffee Percolator	Coffee Percolator	Coffee Percolator
Volts	220~240V/50Hz	220~240V/50Hz	220~240V/50Hz
Power (W)	1150	1500	1500
Material	S/S	S/S	S/S
Capacity (L)	6	10	15
Dimensions (mm)	300×300×480	340×340×490	340×340×600
N.W. (kg)	3.3	3.9	4.5
Certificate	CE	CE	CE







Coffee Percolator



Model	BC290-100	BC290-101	BC290-102
Description	Coffee Percolator	Coffee Percolator	Coffee Percolator
Material	Single layer 304 S/S	Single layer 304 S/S	Single layer 304 S/S
Volts	220~240V 50Hz/60Hz	220~240V 50Hz/60Hz	220~240V 50Hz/60Hz
Power (W)	950	950	950
Capacity (L)	4.5	6.3	8.3
Inner Box (mm)	280×280×385	280×280×430	280×280×385
Electronic Overheating Protection	V	V	V
N.W. (kg)	2.1	2.3	2.4
MOQ	300	300	300
Certificate	CE	CE	CE
Remark	 <p>Size of coffee filter</p>  <p>New basket with umbrella protection</p>  <p>Improved new heating element</p>		
Plug	 <p>VDE plug</p>	<p>Option :</p>  <p>America plug</p>	 <p>BS & SA plug</p>

Coffee Percolator



Model	BC290-103	BC290-104	BC290-105
Description	Coffee Percolator	Coffee Percolator	Coffee Percolator
Material	Single layer 304 S/S	Single layer 304 S/S	Single layer 304 S/S
Volts	220~240V 50Hz/60Hz	220~240V 50Hz/60Hz	220~240V 50Hz/60Hz
Power (W)	950	1650	1650
Capacity (L)	9.2	12.7	14.9
Inner Box (mm)	280×280×385	330×330×500	330×330×540
Electronic Overheating Protection	√	√	√
N.W. (kg)	2.6	3.1	3.6
MOQ	300	300	300
Certificate	CE	CE	CE
Remark	 <p>Size of coffee filter</p>  <p>New basket with umbrella protection</p>  <p>Improved new heating element</p>		
Plug	 <p>VDE plug</p> <p>Option :</p>  <p>America plug</p>  <p>BS & SA plug</p>		