


Dough Sheeter



Model	MX150-100	MX150-101
Description	Table Top 400 mm Dough Sheeter	Table Top 520 mm Dough Sheeter
Volts	220V/50Hz	220V/50Hz
Power (W)	400	550
Conveyor Spec. (mm)	400×1600	520×1800
Material	S/S	S/S
Dimensions (mm)	1770×810×640	2230×880×640
N.W. (kg)	110	129
Certificate	CE	CE

Dough Sheeter



Model	MX150-102	MX150-106
Description	StainlessSteel 400mm Dough Sheeter	Stainless Steel 650mm Dough Sheeter
Volts	220V/50Hz	220V/50Hz
Power (W)	550	750
Conveyor Spec. (mm)	400×1600	630×2400
Material	S/S	S/S
Dimensions (mm)	2000×760×1050	2940×1000×1180
N.W. (kg)	170	225
Certificate	CE	CE

Dough Sheeter



MX150-104



MX150-105

Model	MX150-104	MX150-105
Description	European Style 520mm Dough Sheeter	520mm Dough Sheeter Painted
Volts	220V/50Hz	220V/50Hz
Power (W)	750	550
Conveyor Spec. (mm)	500×2160	520×2160
Material	S/S	Painted Steel
Dimensions (mm)	2740×950×1180	2740×950×1050
N.W. (kg)	189	248
Certificate	CE	CE

Dough Sheeter



Model	*650CF S/S	*650CF	*650BF S/S	*650BF
Description	Reversible Dough Sheeter	Reversible Dough Sheeter	Reversible Dough Sheeter	Reversible Dough Sheeter
Volts	220~240V/50Hz	220~240V/50Hz	220~240V/50Hz	220~240V/50Hz
Power (HP)	1	1	1	1
Conveyor Spec. (mm)	630x2900	630x2900	630x2400	630x2400
Roller Spec. (mm)	Φ88x635	Φ88x635	Φ88x635	Φ88x635
Dimensions (mm)	3000x960x1100	3000x960x1100	2500x960x1100	2500x960x1100
N.W. (kg)	230	230	200	200
Certificate	CE	CE	CE	CE

Products marked with * are made in Taiwan.

Dough Sheeter



Model	*520BF	*520BF S/S	*520CF S/S	*520CF
Description	Reversible Dough Sheeter	Reversible Dough Sheeter	Reversible Dough Sheeter	Reversible Dough Sheeter
Volts	220~240V/50Hz	220~240V/50Hz	220~240V/50Hz	220~240V/50Hz
Power (HP)	1/2	1/2	1	1
Conveyor Spec. (mm)	500x2000	500x2000	500x2400	500x2400
Roller Spec. (mm)	Φ88x520	Φ88x520	Φ88x520	Φ88x520
Dimensions (mm)	2100x850x1100	2100x850x1100	2500x850x1100	2500x850x1100
N.W. (kg)	160	160	180	180
Certificate	CE	CE	CE	CE

Products marked with * are made in Taiwan.

Dough Sheeter



***450BF S/S**



***450B S/S**

Model	*450BF S/S	*450BF	*450B	*450B S/S
Description	Reversible Dough Sheeter	Reversible Dough Sheeter	Reversible Dough Sheeter	Reversible Dough Sheeter
Volts	220~240V/50Hz	220~240V/50Hz	220~240V/50Hz	220~240V/50Hz
Power (HP)	1/2	1/2	1/2	1/2
Conveyor Spec. (mm)	430x2000	430x2000	430x2000	430x2000
Roller Spec. (mms)	Φ88x435	Φ88x435	Φ88x435	Φ88x435
Dimensions (mm)	2100x760x1100	2100x760x1100	2100x760x1100	2100x760x1100
N.W. (kg)	150	150	150	150
Certificate	CE	CE	CE	CE

Products marked with * are made in Taiwan.



Dough Sheeter



Model	*650B	*650BS/S	*650C	*650CS/S
Description	Reversible Dough Sheeter	Reversible Dough Sheeter	Reversible Dough Sheeter	Reversible Dough Sheeter
Volts	220~240V/50Hz	220~240V/50Hz	220~240V/50Hz	220~240V/50Hz
Power (HP)	1	1	1	1
Conveyor Spec. (mm)	630x2400	630x2400	630x2900	630x2900
Roller Spec. (mm)	Φ88x635	Φ88x635	Φ88x635	Φ88x635
Dimensions (mm)	2500x960x1100	2500x960x1100	3000x960x1100	3000x960x1100
N.W. (kg)	200	200	230	230
Certificate	CE	CE	CE	CE

Products marked with * are made in Taiwan.

Dough Sheeter



Model	*520B	*520B S/S	*520C	*520C S/S
Description	Reversible Dough Sheeter	Reversible Dough Sheeter	Reversible Dough Sheeter	Reversible Dough Sheeter
Volts	220~240V/50Hz	220~240V/50Hz	220~240V/50Hz	220~240V/50Hz
Power (HP)	1/2	1/2	1	1
Conveyor Spec. (mm)	515x2000	515x2000	515x2400	515x2400
Roller Spec. (mm)	Φ88x520	Φ88x520	Φ88x520	Φ88x520
Dimensions (mm)	2100x850x1100	2100x850x1100	2500x850x1100	2500x850x1100
N.W. (kg)	160	160	180	180
Certificate	CE	CE	CE	CE

Products marked with * are made in Taiwan.



Dough Sheeter



Model	*450A	*450A S/S	*520A	*520A S/S
Description	Reversible Dough Sheeter	Reversible Dough Sheeter	Reversible Dough Sheeter	Reversible Dough Sheeter
Volts	220~240V/50Hz	220~240V/50Hz	220~240V/50Hz	220~240V/50Hz
Power (HP)	1/2	1/2	1/2	1/2
Conveyor Spec. (mm)	430x1700	430x1700	515x1700	515x1700
Roller Spec. (mm)	Φ88x435	Φ88x435	Φ88x520	Φ88x520
Dimensions (mm)	1800x760x600	1800x760x600	1800x850x600	1800x850x600
N.W. (kg)	120	120	130	130
Certificate	CE	CE	CE	CE

Products marked with * are made in Taiwan.

Dough Sheeter




MX700-100



MX700-102

Model	MX700-100	MX700-101	MX700-102	MX700-103
Description	Table Top Dough Sheeter	Table Top Dough Sheeter	Floor Type Dough Sheeter	Floor Type Dough Sheeter
Material	Painted Steel	Painted Steel	Painted Steel	Painted Steel
Volts	220~240V/50~60Hz 380~415V/50~60Hz	220~240V/50~60Hz 380~415V/50~60Hz	220~240V/50~60Hz 380~415V/50~60Hz	220~240V/50~60Hz 380~415V/50~60Hz
Power (KW)	0.56	0.56	0.56	0.75
Working Position Width/Height (mm)	1770/620	2080/620	2550/1180	2950/1180
Resting Position Width/Height (mm)	750/710	750/840	660/1600	780/1780
Conveyor Spec. (mm)	430x1700	500x2000	500x2000	630x2400
Roller Adjustable Gap (mm)	1~35	1~35	1~35	1~35
Maximum Roll Weight (kg)	4	5	5	6.5
Dimensions (mm)	820x1770x620	880x2080x620	880x2550x1180	1100x2950x1180
N.W. (kg)	117	125	190	225
Certificate	CE	CE	CE	CE

Dough Sheeter



MX700-104



MX700-106

Model	MX700-104	MX700-105	MX700-106	MX700-107
Description	Table Top Dough Sheeter	Table Top Dough Sheeter	Floor Type Dough Sheeter	Floor Type Dough Sheeter
Material	S/S	S/S	S/S	S/S
Volts	220~240V/50~60Hz 380~415V/50~60Hz	220~240V/50~60Hz 380~415V/50~60Hz	220~240V/50~60Hz 380~415V/50~60Hz	220~240V/50~60Hz 380~415V/50~60Hz
Power (KW)	0.56	0.56	0.56	0.75
Working Position Width/Height (mm)	1770/620	2080/620	2550/1180	2950/1180
Resting Position Width/Height (mm)	750/710	750/840	660/1600	780/1780
Conveyor Spec. (mm)	430x1700	500x2000	500x2000	630x2400
Roller Adjustable Gap (mm)	1~35	1~35	1~35	1~35
Maximum Roll Weight (kg)	4	5	5	6.5
Dimensions (mm)	820x1770x620	880x2080x620	880x2550x1180	1100x2950x1180
N.W. (kg)	117	125	190	225
Certificate	CE	CE	CE	CE

Dough Sheeter



MX800-100

Model	MX800-100	MX800-101
Description	Floor Type Dough Sheeter	Floor Type Dough Sheeter
Material	Painted Steel	S/S
Volts	220~240V/50~60Hz 380~415V/50~60Hz	220~240V/50~60Hz 380~415V/50~60Hz
Power (KW)	0.75	0.75
Working Position Width/Height (mm)	2950/1180	2950/1180
Resting Position Width/Height (mm)	780/1780	780/1780
Conveyor Spec. (mm)	630x2400	630x2400
Roller Adjustable Gap (mm)	1~35	1~35
Maximum Roll Weight (kg)	6.5	6.5
Dimensions (mm)	1100x2950x1180	1100x2950x1180
N.W. (kg)	225	225
Certificate	CE	CE