

Gear Planetary Mixer



3 Speed Options




MX200-139



MX200-189



MX200-203

Model	MX200-139	MX200-189	MX200-203
Description	Gear Planetary Mixer	Gear Planetary Mixer	Gear Planetary Mixer
Control Type	Mechanical	Digital	Mechanical
Volts	110~240V/50~60Hz	110~240V/50~60Hz	110~240V/50~60Hz
Power (W)	650	650	650
Capacity	7L	7L	10L
Speed (RPM)	545/525/128	230~580	545/525/128
Max.Flour(kg)	0.8	0.8	1
Timer	V	V	V
	PCTG Plastic Guard	PCTG Plastic Guard	PCTG Plastic Guard
HUB 	-	-	-
Meat Grinder Attachment 	-	-	-
Pasta Roller And Cutter	-	-	-
Dimensions (mm)	435x345x500	435x345x500	450x330x590
N.W. (kg)	20	20	20
Certificate	CE	CE	CE

Standard Attachment:

Bowl




Hook



Whip



Beater



Gear Planetary Mixer




MX200-200



MX200-201



MX200-202

Model	MX200-200	MX200-201	MX200-202
Description	Gear Planetary Mixer	Gear Planetary Mixer	Gear Planetary Mixer
Control Type	Digital	Digital	Digital
Volts	220~240V/50Hz	220~240V/50Hz	220~240V/50Hz
Power (W)	650	650	650
Capacity	7L	7L	7L
Speed (RPM)	230~580	230~580	230~580
Max.Flour(kg)	0.8	0.8	0.8
Timer	V	V	V
	PCTG Plastic Guard	PCTG Plastic Guard	PCTG Plastic Guard
HUB 	V	V	V
Meat Grinder Attachment 	V	-	V
Pasta Roller And Cutter	-	V	V
Dimensions (mm)	435x345x500	435x345x500	435x345x500
N.W. (kg)	20	20	20
Certificate	CE	CE	CE

Standard Attachment:

Bowl




Hook



Whip



Beater



Gear Planetary Mixer

CS-B5(PG)



CS-B7(PG)



Model	B5	CS-B5(PG)	B7	CS-B7(PG)
Description	Gear Planetary Mixer	Gear Planetary Mixer	Gear Planetary Mixer	Gear Planetary Mixer
Control Type	Mechanical	Mechanical	Mechanical	Mechanical
Volts	110~240V/50~60Hz	110~240V/50~60Hz	110~240V/50~60Hz	110~240V/50~60Hz
Power (W)	300	300	325	325
Capacity	5.5L	5.5L	7.5L	7.5L
Speed (RPM)	40/131/260/852	40/131/260/852	40/147/250/917	40/147/250/917
Max.Flour(kg)	0.5	0.5	0.75	0.75
Timer	-	-	-	-
	S/S Safety Guard	PC Plastic Guard	S/S Safety Guard	PC Plastic Guard
HUB 	-	-	-	-
Meat Grinder Attachment 	-	-	-	-
Pasta Roller And Cutter	-	-	-	-
Dimensions (mm)	350x230x400	350x230x400	400x250x410	400x250x410
N.W. (kg)	12.2	12.2	14.2	14.2
Certificate	CE	CE	CE	CE

Standard Attachment:

Bowl




Hook



Whip



Beater



Gear Planetary Mixer




MX600-100



MX600-101



MX600-102

Model	MX600-100	MX600-101	MX600-102
Description	Gear Planetary Mixer	Gear Planetary Mixer	Gear Planetary Mixer
Control Type	Mechanical	Mechanical	Mechanical
Volts	110~240V/50~60Hz	110~240V/50~60Hz	110~240V/50~60Hz
Power (W)	200	280	550
Capacity	5L	7L	10L
Speed (RPM)	-	-	-
Max.Flour(kg)	0.5	0.75	2
Timer	-	-	-
	Plastic Guard	Plastic Guard	S/S Safety Guard
HUB 			
Meat Grinder Attachment 	-	-	-
Pasta Roller And Cutter	-	-	-
Dimensions (mm)	420x240x425	420x240x425	505x475x710
N.W. (kg)	13	15	36
Certificate	CE	CE	CE

Standard Attachment:

Bowl



Hook



Whip



Beater



Gear Planetary Mixer




MX600-103



MX600-104



MX600-105

Model	MX600-103	MX600-104	MX600-105	MX600-106
Description	Gear Planetary Mixer	Gear Planetary Mixer	Gear Planetary Mixer	Gear Planetary Mixer
Control Type	Mechanical	Mechanical	Mechanical	Mechanical
Volts	110~240V/50~60Hz	110~240V/50~60Hz	110~240V/50~60Hz	110~240V/50~60Hz
Power (W)	1100	1100	1500	1500
Capacity	20L	20L	30L	30L
Speed (RPM)	-	-	-	-
Max.Flour(kg)	5	5	7	7
Timer	-	-	-	-
	S/S Safety Guard	S/S Safety Guard	S/S Safety Guard	S/S Safety Guard
HUB 	-	V	-	V
Meat Grinder Attachment 	-	-	-	-
Pasta Roller And Cutter	-	-	-	-
Dimensions (mm)	555x558x794	555x558x794	579x611x1142	579x611x1142
N.W. (kg)	102	102	170	170
Certificate				

Standard Attachment:

Bowl




Hook



Whip



Beater




Gear Planetary Mixer

B10GF



B10GFA



Model	B10GF	B10GFA	B15GF	B15GFA
Description	Gear Planetary Mixer	Gear Planetary Mixer	Gear Planetary Mixer	Gear Planetary Mixer
Control Type	Mechanical	Mechanical	Mechanical	Mechanical
Volts	110~240V/50~60Hz	110~240V/50~60Hz	110~240V/50~60Hz	110~240V/50~60Hz
Power (W)	600	600	600	600
Capacity	10L	10L	15L	15L
Speed (RPM)	480/244/148	480/244/148	480/244/148	480/244/148
Max.Flour(kg)	2.5	2.5	3.5	3.5
Timer	-	-	-	-
	-	S/S Safety Guard	-	S/S Safety Guard
HUB 	-	-	-	-
Meat Grinder Attachment 	-	-	-	-
Pasta Roller And Cutter	-	-	-	-
Dimensions (mm)	470x450x600	470x450x600	470x450x610	470x450x610
N.W. (kg)	58	58	59	59
Certificate	-	CE	-	CE

Standard Attachment:

Bowl




Hook



Whip



Beater




Gear Planetary Mixer

B20G



B20GA



Model	B20G	B20GA	B20A
Description	Gear Planetary Mixer	Gear Planetary Mixer	Gear Planetary Mixer
Control Type	Mechanical	Mechanical	Mechanical
Volts	110~240V/50~60Hz	110~240V/50~60Hz	110~240V/50~60Hz
Power (W)	1100	1100	1100
Capacity	20L	20L	20L
Speed (RPM)	462/317/197	462/317/197	418/234/13
Max.Flour(kg)	5	5	5
Timer	-	-	-
	-	S/S Safety Guard	S/S Safety Guard
HUB 	-	-	V
Meat Grinder Attachment 	-	-	-
Pasta Roller And Cutter	-	-	-
Dimensions (mm)	540x490x780	540x490x780	540x490x780
N.W. (kg)	83	83	83
Certificate	-	CE	CE

Standard Attachment:

Bowl




Hook



Whip




Beater



Gear Planetary Mixer



Model	B20F4	B30F4
Description	Gear Planetary Mixer	Gear Planetary Mixer
Control Type	Mechanical	Mechanical
Volts	110~240V/50~60Hz	110~240V/50~60Hz 380~415V/50Hz
Power (W)	1100	1500
Capacity	20L	25L
Speed (RPM)	418/234/130	418/234/130
Max.Flour(kg)	5	6
Timer	-	-
	S/S Safety Guard	S/S Safety Guard
HUB 	V	V
Meat Grinder Attachment 	V	V
Pasta Roller And Cutter	-	-
Dimensions (mm)	920x490x1030	950x520x1060
N.W. (kg)	92	97
Certificate	CE	CE

Standard Attachment:

Bowl



Hook



Whip




Beater



Gear Planetary Mixer



Model	B30G	B30GA	B30A	B30FA
Description	Gear Planetary Mixer	Gear Planetary Mixer	Gear Planetary Mixer	Gear Planetary Mixer
Control Type	Mechanical	Mechanical	Mechanical	Mechanical
Volts	110~240V/50~60Hz	110~240V/50~60Hz	110~240V/50~60Hz	220~240V/50~60Hz 380~415V/50Hz
Power (W)	1500	1500	1500	1500
Capacity	25L	25L	25L	25L
Speed (RPM)	462/317/197	462/317/197	418/234/130	430/204/125
Max.Flour(kg)	6	6	6	6
Timer	-	-	-	-
	-	S/S Safety Guard	S/S Safety Guard	S/S Safety Guard
HUB 	-	-	-	-
Meat Grinder Attachment 	-	-	-	-
Pasta Roller And Cutter	-	-	-	-
Dimensions (mm)	570x510x810	570x510x810	570x510x810	580x510x1000
N.W. (kg)	88	88	88	173
Certificate	-	CE	CE	CE

Standard Attachment:

Bowl




Hook



Whip



Beater




Gear Planetary Mixer

B40



B 40A



Model	B40	B40 A	B40F	B40FA
Description	Gear Planetary Mixer	Gear Planetary Mixer	Gear Planetary Mixer	Gear Planetary Mixer
Control Type	Mechanical	Mechanical	Mechanical	Mechanical
Volts	110~240V/50~60Hz 380~415V/50Hz	110~240V/50~60Hz 380~415V/50Hz	110~240V/50~60Hz 380~415V/50Hz	110~240V/50~60Hz 380~415V/50Hz
Power (W)	1500	1500	1500	1500
Capacity	35L	35L	40L	40L
Speed (RPM)	520/187/120	520/187/120	520/187/120	520/187/120
Max.Flour(kg)	8	8	9	9
Timer	-	-	-	-
	-	S/S Safety Guard	-	S/S Safety Guard
HUB 	-	-	-	-
Meat Grinder Attachment 	-	-	-	-
Pasta Roller And Cutter	-	-	-	-
Dimensions (mm)	540x540x1030	540x540x1030	650x620x1120	650x620x1120
N.W. (kg)	185	185	210	210
Certificate	-	CE	-	CE

Standard Attachment:

Bowl




Hook



Whip




Beater



Gear Planetary Mixer

B60A



Model	B60	B60A
Description	Gear Planetary Mixer	Gear Planetary Mixer
Control Type	Mechanical	Mechanical
Volts	380~415V/50Hz	380~415V/50Hz
Power (W)	2300	2300
Capacity	60L	60L
Speed (RPM)	458/221/114	458/221/114
Max.Flour(kg)	25	25
Timer	V	V
	-	S/S Safety Guard
HUB 	-	-
Meat Grinder Attachment 	-	-
Pasta Roller And Cutter	-	-
Dimensions (mm)	910x730x1560	910x730x1560
N.W. (kg)	395	395
Certificate	-	CE

Standard Attachment:

Bowl




Hook



Whip




Beater



Gear Planetary Mixer



Auto/Manual Control

Model	B60EA	B80A
Description	Gear Planetary Mixer	Gear Planetary Mixer
Control Type	Mechanical	Mechanical
Volts	380~415V/50Hz	380~415V/50Hz
Power (W)	2300	2700
Capacity	60L	80L
Speed (RPM)	458/221/114	458/221/114
Max.Flour(kg)	25	30
Timer	V	V
	S/S Safety Guard	S/S Safety Guard
HUB 	-	-
Meat Grinder Attachment 	-	-
Pasta Roller And Cutter	-	-
Dimensions (mm)	910x730x1560	-
N.W. (kg)	465	-
Certificate	CE	CE

Standard Attachment:

Bowl




Hook



Whip




Beater



Gear Planetary Mixer

MX200-132



Model	MX200-128	MX200-132	MX200-145	MX200-136
Description	Gear Planetary Mixer	Gear Planetary Mixer	Gear Planetary Mixer	Gear Planetary Mixer
Control Type	Mechanical	Mechanical	Mechanical	Mechanical
Volts	110~240V/50~60Hz 380~415V/50Hz	110~240V/50~60Hz 380~415V/50Hz	110~240V/50~60Hz 380~415V/50Hz	110~240V/50~60Hz 380~415V/50Hz
Power (W)	600	900	1300	1300
Capacity	10L	20L	30L	40L
Speed (RPM)	460/234/114	540/276/140	460/234/134	460/234/134
Max.Flour(kg)	2.5	5	7	9
Timer	-	-	-	-
	S/S Safety Guard	S/S Safety Guard	S/S Safety Guard	S/S Safety Guard
HUB 	-	-	-	-
Meat Grinder Attachment 	-	-	-	-
Pasta Roller And Cutter	-	-	-	-
Dimensions (mm)	-	-	-	-
N.W. (kg)	-	-	-	-
Certificate	CE	CE	CE	CE

Standard Attachment:

Bowl




Hook



Whip



Beater



Gear Planetary Mixer

***GM-7AP-1**



***GM-10AR**



***VM-10A**



Model	*GM-7AP-1	*GM-10AP	*VM-10A
Description	Gear Planetary Mixer	Gear Planetary Mixer	Gear Planetary Mixer
Control Type	Digital	Digital	Digital
Volts	110~240V/50~60Hz	110~240V/50~60Hz	110~240V/50~60Hz
Power (W)	650	650	650
Capacity	7L	10L	10L
Speed (RPM)	249/381/456/564/638	193/296/354/438/496	15 Speed
Max.Flour(kg)	0.8	1	1
Timer	V	V	V
	PC Plastic Guard	PC Plastic Guard	PC Plastic Guard
HUB 	-	-	-
Meat Grinder Attachment 	-	-	-
Pasta Roller And Cutter	-	-	-
Dimensions (mm)	340x460x520	340x485x525	483x336x558
N.W. (kg)	18	20	20
Certificate	CE	CE	-

Standard Attachment:

Bowl



Hook



Whip



Beater




Products marked with * are made in Taiwan.




Gear Planetary Mixer

***GM-20SAT**



Model	*GM-20	*GM-20T	*GM-20SA	*GM-20SAT
Description	Gear Planetary Mixer	Gear Planetary Mixer	Gear Planetary Mixer	Gear Planetary Mixer
Control Type	Mechanical	Mechanical	Mechanical	Mechanical
Volts	110~240V/50~60Hz	110~240V/50~60Hz	110~240V/50~60Hz	110~240V/50~60Hz
Power (W)	375	375	375	375
Capacity	20L	20L	20L	20L
Speed (RPM)	139/259/437	139/259/437	139/259/437	139/259/437
Max.Flour(kg)	-	-	-	-
Timer	-	V	-	V
	-	-	S/S Safety Guard	S/S Safety Guard
HUB 	V	V	V	V
Meat Grinder Attachment 	-	-	-	-
Pasta Roller And Cutter	-	-	-	-
Dimensions (mm)	417x486x802	417x486x802	417x486x802	417x486x802
N.W. (kg)	98	98	98	98
Certificate	-	-	CE	CE

Standard Attachment:



Products marked with * are made in Taiwan.


Gear Planetary Mixer

GM-30



***GM-30SAT**



Model	*GM-30	*GM-30T	*GM-30SA	*GM-30SAT
Description	Gear Planetary Mixer	Gear Planetary Mixer	Gear Planetary Mixer	Gear Planetary Mixer
Control Type	Mechanical	Mechanical	Mechanical	Mechanical
Volts	110~240V/50~60Hz	110~240V/50~60Hz	110~240V/50~60Hz	110~240V/50~60Hz
Power (W)	750	750	750	750
Capacity	30L	30L	30L	30L
Speed (RPM)	125/232/423	125/232/423	125/232/423	125/232/423
Max.Flour(kg)	-	-	-	-
Timer	-	V	-	V
	-	-	S/S Safety Guard	S/S Safety Guard
HUB 	V	V	V	V
Meat Grinder Attachment 	-	-	-	-
Pasta Roller And Cutter	-	-	-	-
Dimensions (mm)	417x486x802	417x486x802	417x486x802	417x486x802
N.W. (kg)	185	185	185	185
Certificate	-	-	CE	CE

Standard Attachment:

Bowl




Hook



Whip



Beater




Products marked with * are made in Taiwan.

Gear Planetary Mixer

***MX160-101SAT**



Model	*MX160-101	*MX160-101T	*MX160-101SA	*MX160-101SAT
Description	Gear Planetary Mixer	Gear Planetary Mixer	Gear Planetary Mixer	Gear Planetary Mixer
Control Type	Mechanical	Mechanical	Mechanical	Mechanical
Volts	110~240V/50~60Hz	110~240V/50~60Hz	110~240V/50~60Hz	110~240V/50~60Hz
Power (W)	1125	1125	1125	1125
Capacity	40L	40L	40L	40L
Speed (RPM)	127/261/478	127/261/478	127/261/478	127/261/478
Max.Flour(kg)	-	-	-	-
Timer	-	V	-	V
	-	-	S/S Safety Guard	S/S Safety Guard
HUB 	V	V	V	V
Meat Grinder Attachment 	-	-	-	-
Pasta Roller And Cutter	-	-	-	-
Dimensions (mm)	688x652x1220	688x652x1220	688x652x1220	688x652x1220
N.W. (kg)	200	200	205	205
Certificate	-	-	CE	CE

Standard Attachment:

Bowl



Hook



Whip



Beater



Products marked with * are made in Taiwan.




Gear Planetary Mixer

*GM-60T



*GM-60SAT



Model	*GM-60	*GM-60T	*GM-60SA	*GM-60SAT
Description	Gear Planetary Mixer	Gear Planetary Mixer	Gear Planetary Mixer	Gear Planetary Mixer
Control Type	Mechanical	Mechanical	Mechanical	Mechanical
Volts	110~240V/50~60Hz	110~240V/50~60Hz	110~240V/50~60Hz	110~240V/50~60Hz
Power (W)	2250	2250	2250	2250
Capacity	60L	60L	60L	60L
Speed (RPM)	84/148/248/436	84/148/248/436	84/148/248/436	84/148/248/436
Max.Flour(kg)	-	-	-	-
Timer	-	V	-	V
	-	-	S/S Safety Guard	S/S Safety Guard
HUB 	V	V	V	V
Meat Grinder Attachment 	-	-	-	-
Pasta Roller And Cutter	-	-	-	-
Dimensions (mm)	1039x708x1430	1039x708x1430	1039x708x1430	1039x708x1430
N.W. (kg)	455	455	455	455
Certificate	-	-	CE	CE

Standard Attachment:

Bowl



Hook



Whip



Beater



Products marked with * are made in Taiwan.


Variable Gear Planetary Mixer

***KVM-25HSAT**



Model	*KVM-25T	*KVM-25HT	*KVM-25HSAT
Description	Variable Gear Planetary Mixer	Variable Gear Planetary Mixer	Variable Gear Planetary Mixer
Control Type	Mechanical	Mechanical	Mechanical
Volts	220~240V/50Hz 380~415V/50Hz	220~240V/50Hz 380~415V/50Hz	220~240V/50Hz 380~415V/50Hz
Power (W)	560	560	560
Capacity	25L	25L	25L
Speed (RPM)	50-550	50-550	50-550
Max.Flour(kg)	-	-	-
Timer	V	V	V
	-	-	S/S Safety Guard
HUB 	-	V	V
Meat Grinder Attachment 	-	-	-
Pasta Roller And Cutter	-	-	-
Dimensions (mm)	550x605x1043	550x605x1043	550x605x1043
N.W. (kg)	135	135	135
Certificate	-	-	-

Standard Attachment:



Products marked with * are made in Taiwan.


Variable Gear Planetary Mixer

***KVM-40HSAT**



Model	*KVM-40T	*KVM-40HT	*KVM-40HSAT
Description	Variable Gear Planetary Mixer	Variable Gear Planetary Mixer	Variable Gear Planetary Mixer
Control Type	Mechanical	Mechanical	Mechanical
Volts	220~240V/50Hz 380~415V/50Hz	220~240V/50Hz 380~415V/50Hz	220~240V/50Hz 380~415V/50Hz
Power (W)	1125	1125	1125
Capacity	40L	40L	40L
Speed (RPM)	50-550	50-550	50-550
Max.Flour(kg)	-	-	-
Timer	V	V	V
	-	-	S/S Safety Guard
HUB 	-	V	V
Meat Grinder Attachment 	-	-	-
Pasta Roller And Cutter	-	-	-
Dimensions (mm)	650x806x1284	650x806x1284	650x806x1284
N.W. (kg)	200	200	200
Certificate	-	-	-

Standard Attachment:



Products marked with * are made in Taiwan.


Variable Gear Planetary Mixer

***KVM-60HSAT**



Model	*KVM-60T	*KVM-60HT	*KVM-60HSAT
Description	Variable Gear Planetary Mixer	Variable Gear Planetary Mixer	Variable Gear Planetary Mixer
Control Type	Mechanical	Mechanical	Mechanical
Volts	220~240V/50Hz 380~415V/50Hz	220~240V/50Hz 380~415V/50Hz	220~240V/50Hz 380~415V/50Hz
Power (W)	1500	1500	1500
Capacity	60L	60L	60L
Speed (RPM)	50-550	50-550	50-550
Max.Flour(kg)	-	-	-
Timer	V	V	V
	-	-	S/S Safety Guard
HUB 	-	V	V
Meat Grinder Attachment 	-	-	-
Pasta Roller And Cutter	-	-	-
Dimensions (mm)	708x1039x1420	708x1039x1420	708x1039x1420
N.W. (kg)	425	425	425
Certificate	-	-	-

Standard Attachment:



Products marked with * are made in Taiwan.


Variable Gear Planetary Mixer

***KVM-80HSAT**



Model	*KVM-80T	*KVM-80HT	*KVM-80HSAT
Description	Variable Gear Planetary Mixer	Variable Gear Planetary Mixer	Variable Gear Planetary Mixer
Control Type	Mechanical	Mechanical	Mechanical
Volts	220~240V/50Hz 380~415V/50Hz	220~240V/50Hz 380~415V/50Hz	220~240V/50Hz 380~415V/50Hz
Power (W)	3000	3000	3000
Capacity	80L	80L	80L
Speed (RPM)	50-550	50-550	50-550
Max.Flour(kg)	-	-	-
Timer	V	V	V
	-	-	S/S Safety Guard
HUB 	-	V	V
Meat Grinder Attachment 	-	-	-
Pasta Roller And Cutter	-	-	-
Dimensions (mm)	720x1040x1460	720x1040x1460	720x1040x1460
N.W. (kg)	435	435	435
Certificate	-	-	-

Standard Attachment:



Products marked with * are made in Taiwan.


Variable Gear Planetary Mixer

***KVM-120HSAT**



Model	*KVM-120T	*KVM-120HT	*KVM-120HSAT
Description	Variable Gear Planetary Mixer	Variable Gear Planetary Mixer	Variable Gear Planetary Mixer
Control Type	Mechanical	Mechanical	Mechanical
Volts	380~415V/50Hz	380~415V/50Hz	380~415V/50Hz
Power (W)	3750	3750	3750
Capacity	120L	120L	120L
Speed (RPM)	50-550	50-550	50-550
Max.Flour(kg)	-	-	-
Timer	V	V	V
	-	-	S/S Safety Guard
HUB 	-	V	V
Meat Grinder Attachment 	-	-	-
Pasta Roller And Cutter	-	-	-
Dimensions (mm)	780x1200x1650	780x1200x1650	780x1200x1650
N.W. (kg)	800	800	800
Certificate	-	-	-

Standard Attachment:



Products marked with * are made in Taiwan.